

**IN THE CLAIMS**

Please amend the claims as follows:

Claim 1. (Currently Amended) A cosmetic pack preparation, comprising:

- (a) 5-20 wt% of polyvinyl alcohol; and
- (b) 0.01-10 wt% of a titanium-titanium dioxide sinter.

Claim 2. (Original) The cosmetic pack preparation according to claim 1, further comprising an anionic surfactant as a component (c).

Claim 3. (Original) The cosmetic pack preparation according to claim 2, wherein the anionic surfactant of the component (c) is one or more anionic surfactants selected from the group consisting of a phosphate-based anionic surfactant, a sulfonate-based anionic surfactant, and a sulfate-based anionic surfactant.

Claim 4. (Currently Amended) The cosmetic pack preparation according to ~~any one of claim 1 claims 1-3~~, further comprising a water-soluble thickener as a component (d).

Claim 5. (Original) The cosmetic pack preparation according to claim 4, wherein the compound (d) is a water swelling clay mineral and/or fine particles of amorphous silicic anhydride.

Claim 6. (Currently Amended) The cosmetic pack preparation according to claim 1 ~~any one of claims 1-5~~, wherein the polyvinyl alcohol of the component (a) is a mixture of

(A) a polyvinyl alcohol of which the aqueous solution with a concentration of 4 wt% has a viscosity at 20°C of 1 mPa·s or more, but less than 30 mPa·s, and

(B) a polyvinyl alcohol of which the aqueous solution with a concentration of 4 wt% has a viscosity at 20°C of 30 mPa·s or more, but less than 70 mPa·s.

Claim 7. (Original) The cosmetic pack preparation according to claim 6, wherein the weight ratio of the polyvinyl alcohol (A) to the polyvinyl alcohol (B) in the component (a) is 0.05-2.

Claim 8. (Currently Amended) The cosmetic pack preparation according to claim 1 ~~any one of claims 1-7~~, further comprising a water-soluble ascorbic acid derivative and/or a water-soluble glycyrrhizic acid derivative as a component (e).

Claim 9. (Currently Amended) The cosmetic pack preparation according to claim 1 ~~any one of claims 1-8~~, further comprising a polyglycerol fatty acid ester as a component (f).

Claim 10. (Currently Amended) The cosmetic pack preparation according to claim 2 ~~any one of claims 1-9~~, wherein the anionic surfactant of the component (c) is dioctyl sodium sulfosuccinate.

Claim 11. (New) The cosmetic pack preparation according to claim 1, wherein component (a) is dissolved in water.

Claim 12. (New) The cosmetic pack preparation according to claim 1, wherein said component (b) is produced by mixing fine particles of titanium and titanium oxide at a ratio of 1:5 and sintering the mixture at a temperature of 900-1000°C under reduced pressure for 3-5 hours.

Claim 13. (New) The cosmetic pack preparation according to claim 1, wherein said component (b) has a particle diameter of 0.6 to 2.0 $\mu$ m.

Claim 14. (New) The cosmetic pack preparation according to claim 1, wherein said component (b) comprises a mixture of two or more different titanium-titanium dioxide sinters.

Claim 15. (New) The cosmetic pack preparation according to claim 1, which is a peel-off cosmetic pack preparation.

Claim 16. (New) The cosmetic pack preparation according to claim 1, wherein said component (b) is produced by mixing fine particles of titanium and titanium oxide at a ratio of 1:5 and sintering the mixture.